



# Standard Guide for Specifying Harmonized Standard Grade Compositions for Wrought Carbon, Low-Alloy, and Alloy Steels<sup>1</sup>

This standard is issued under the fixed designation A1040; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

## 1. Scope\*

1.1 This guide covers ASTM Subcommittees A01.02, A01.03, A01.06, A01.09, A01.11, A01.15, A01.19, A01.22, and A01.28 for specifying chemical composition limits of wrought carbon, low-alloy, and alloy steels. It is intended that these recommended grade composition limits be suitable for adoption by other standardization bodies that prepare standards for carbon, low-alloy, and alloy steel products, including discontinued steels.

1.2 Included in this guide are the recommendations for determining the number of significant figures for specifying chemical composition.

1.3 The carbon and alloy steel grades in all standards overseen by the aforementioned ASTM subcommittees have been included, except those grades applicable to restricted special end uses.

1.4 Not addressed are minor composition modifications that a specific ASTM subcommittee may find necessary to accommodate effects of normal processing or to enhance fabricability by the producer or user, or both.

1.5 Also not generally addressed (except where established by ASTM subcommittees) is a complete rationalization of all limits, especially where such would conflict with long-standing practices and is not justified by special technical effect.

1.6 This guide does not address discontinued or formerly standard steel grades. A listing of such steel grades can be found in [SAE J1249](#). Also excluded from this guide are cast materials and welding filler metals.

1.7 In 1995, the AISI made the decision to transfer the responsibility of maintaining its numbering system to the Society of Automotive Engineers (SAE) for carbon and alloy steels ([SAE J403](#) and [SAE J404](#)) and to ASTM International for stainless steels (Guide [A959](#) and others). To inform users of this important event, historical information is included in the appendix of this standard.

<sup>1</sup> This guide is under the jurisdiction of ASTM Committee A01 on Steel, Stainless Steel and Related Alloys and is the direct responsibility of Subcommittee A01.97 on Harmonization of Carbon and Alloy Steel Compositions.

Current edition approved April 1, 2010. Published April 2010. Originally approved in 2004. Last previous edition approved in 2009 as A1040 – 09. DOI: 10.1520/A1040-10.

## 2. Referenced Documents

### 2.1 ASTM Standards:<sup>2</sup>

[A276](#) Specification for Stainless Steel Bars and Shapes  
[A941](#) Terminology Relating to Steel, Stainless Steel, Related Alloys, and Ferroalloys

[A959](#) Guide for Specifying Harmonized Standard Grade Compositions for Wrought Stainless Steels

### 2.2 SAE Standards:<sup>3</sup>

[SAE J403](#) Chemical Compositions of SAE Carbon Steels

[SAE J404](#) Chemical Compositions of SAE Alloy Steels

[SAE J1013](#) Measurement of Whole Body Vibration of the Seated Operator of Off-Highway Work Machines

[SAE J1249](#) Former SAE Standard and Former SAE EX-Steels

## 3. Terminology

### 3.1 Definitions of Terms Specific to This Standard:

3.1.1 *long product*, *n*—generic term describing wrought bars, rod, wire, rail, tubing (welded and seamless), plate, and pipe.

3.1.1.1 *Discussion*—Product forms such as “C” shapes, “HP” shapes, “L” shapes, “M” shapes, “MC” shapes, “S” shapes, “W” shapes, and sheet piling are considered long products. Such product forms are produced to mechanical properties and are not normally produced to the chemical compositions listed in this guide.

3.1.2 *flat product*, *n*—generic term describing wrought sheet and strip.

3.2 Refer to Terminology [A941](#) for additional definitions of terms used in this guide.

## 4. Significance and Use

4.1 It is anticipated that the ASTM Subcommittees A01.02, A01.03, A01.06, A01.09, A01.11, A01.15, A01.19, A01.22, and A01.28 will use the standard composition limits listed in this

<sup>2</sup> For referenced ASTM standards, visit the ASTM website, [www.astm.org](http://www.astm.org), or contact ASTM Customer Service at [service@astm.org](mailto:service@astm.org). For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

<sup>3</sup> Available from Society of Automotive Engineers (SAE), 400 Commonwealth Dr., Warrendale, PA 15096-0001.

\*A Summary of Changes section appears at the end of this standard.



guide for the grades identified in their product specifications unless there is a specific technical justification for doing otherwise.

4.2 The composition limits given in this guide are to be used as guides in determining limits for each of the elements included in the total composition of each grade. The composition limits have been established with the intent that each ASTM subcommittee will find it necessary to require only a minimum number of changes to reflect specific technical effects. Section 5 lists the general guidelines followed for determining the limits for each element; the limits established in this guide are based upon these guidelines.

## 5. General Guidelines Used for Determining Composition Limits

5.1 Table 1 gives typical chemical composition limits for respective elements.

**TABLE 1 Expression of Chemical Composition Limits**

Chemical Element	Chemical Composition Limit
C, Cr, Cu, Mn, Mo, Ni, Pb, Si	Two decimal places (0.xx %) or (1.xx %)
Al, Ca, N, Nb (Cb), P, S, Sn, Ti, V	Three decimal places (0.xxx %)
B	Four decimal places (0xxxx %)

## 6. Harmonized Standard Grade Wrought Carbon, Low-Alloy, and Alloy Steel Compositions

6.1 The harmonized composition limits are given in Tables 2-17, grouped by metallurgical classification. Within all tables, grades are listed in numerical order.

6.2 Unless adopted by the appropriate product subcommittee in an ASTM standard, the compositions described in this guide shall not be used for specifying an ASTM product.

6.3 Criteria for the addition of grades to the grade lists in this guide are as follows: (1) New grades will be considered based upon the grade meeting a standard grade designation and chemistry; (2) New grades shall have an annual production or consumption of 250 tons (225 Mg); (3) New grades shall have the sponsorship of at least two individual users or producers.

## 7. Keywords

7.1 alloy steels; carbon steels; harmonized carbon, low-alloy, and alloy steel compositions; low-alloy steels

TABLE 2 Chemical Composition for Nonresulfurized Carbon Steels

Grade	Composition, <sup>A,B,C</sup> %					
	C	Mn	P max	S max	P max	S max
			Long Product		Flat Product	
1001	0.01 max	0.35 max			0.030	0.035
1002	0.02 max	0.35 max			0.030	0.035
1003	0.04 max	0.35 max			0.030	0.035
1004	0.02/0.06	0.35 max			0.030	0.035
1005	0.06 max	0.35 max	0.040	0.050	0.030	0.035
1006 <sup>B</sup>	0.02/0.08	0.45 max			0.030	0.035
1006 <sup>D</sup>	0.08 max	0.25-0.45	0.040	0.050		
1006 <sup>E</sup>	0.08 max	0.45 max			0.030	0.035
1007	0.02/0.10	0.50 max			0.030	0.035
1008 <sup>D</sup>	0.10 max	0.30-0.50	0.040	0.050		
1008 <sup>E</sup>	0.10 max	0.50 max			0.030	0.035
1009	0.15 max	0.60 max			0.030	0.035
1010	0.08-0.13	0.30-0.60	0.040	0.050	0.030	0.035
1011	0.08-0.13	0.60-0.90	0.040	0.050		
1012	0.10-0.15	0.30-0.60	0.040	0.050	0.030	0.035
1013 <sup>D,F</sup>	0.11-0.16	0.50-0.80	0.040	0.050		
1013 <sup>E</sup>	0.11-0.16	0.30-0.60			0.030	0.035
1015	0.13-0.18	0.30-0.60	0.040	0.050	0.030	0.035
1016	0.13-0.18	0.60-0.90	0.040	0.050	0.030	0.035
1017	0.15-0.20	0.30-0.60	0.040	0.050	0.030	0.035
1018	0.15-0.20	0.60-0.90	0.040	0.050	0.030	0.035
1019	0.15-0.20	0.70-1.00	0.040	0.050	0.030	0.035
1020	0.18-0.23	0.30-0.60	0.040	0.050	0.030	0.035
1021	0.18-0.23	0.60-0.90	0.040	0.050	0.030	0.035
1022	0.18-0.23	0.70-1.00	0.040	0.050	0.030	0.035
1023	0.20-0.25	0.30-0.60	0.040	0.050	0.030	0.035
1024	0.18-0.25	1.30-1.65	0.035	0.035		
1025	0.22-0.28	0.30-0.60	0.040	0.050	0.030	0.035
1026	0.22-0.28	0.60-0.90	0.040	0.050	0.030	0.035
1027	0.22-0.29	1.20-1.55	0.035	0.035		
1029	0.25-0.31	0.60-0.90	0.040	0.050		
1030	0.28-0.34	0.60-0.90	0.040	0.050	0.030	0.035
1033	0.30-0.36	0.70-1.00	0.040	0.050	0.030	0.035
1034	0.32-0.38	0.50-0.80	0.040	0.050		
1035	0.32-0.38	0.60-0.90	0.040	0.050	0.030	0.035
1037	0.32-0.38	0.70-1.00	0.040	0.050	0.030	0.035
1038	0.35-0.42	0.60-0.90	0.040	0.050	0.030	0.035
1039	0.37-0.44	0.70-1.00	0.040	0.050	0.030	0.035
1040	0.37-0.44	0.60-0.90	0.040	0.050	0.030	0.035
1042	0.40-0.47	0.60-0.90	0.040	0.050	0.030	0.035
1043	0.40-0.47	0.70-1.00	0.040	0.050	0.030	0.035
1044	0.43-0.50	0.30-0.60	0.040	0.050		
1045	0.43-0.50	0.60-0.90	0.040	0.050	0.030	0.035
1046	0.43-0.50	0.70-1.00	0.040	0.050	0.030	0.035
1049	0.46-0.53	0.60-0.90	0.040	0.050	0.030	0.035
1050	0.48-0.55	0.60-0.90	0.040	0.050	0.030	0.035
1053	0.48-0.55	0.70-1.00	0.040	0.050		
1055	0.50-0.60	0.60-0.90	0.040	0.050	0.030	0.035
1059	0.55-0.65	0.50-0.80	0.040	0.050		
1060	0.55-0.65	0.60-0.90	0.040	0.050	0.030	0.035
1064	0.60-0.70	0.50-0.80	0.040	0.050	0.030	0.035
1065	0.60-0.70	0.60-0.90	0.040	0.050	0.030	0.035
1069	0.65-0.75	0.40-0.70	0.040	0.050		
1070	0.65-0.75	0.60-0.90	0.040	0.050	0.030	0.035
1070m <sup>G</sup>	0.65-0.75	0.80-1.10	0.025	0.025		
1071	0.65-0.70	0.75-1.05	0.040	0.050		
1074	0.70-0.80	0.50-0.80	0.040	0.050	0.030	0.035
1075	0.70-0.80	0.40-0.70	0.040	0.050		
1078	0.72-0.85	0.30-0.60	0.040	0.050	0.030	0.035
1080	0.75-0.88	0.60-0.90	0.040	0.050	0.030	0.035
1084	0.80-0.93	0.60-0.90	0.040	0.050	0.030	0.035

TABLE 2 *Continued*

Grade	Composition, <sup>A,B,C</sup> %					
	C	Mn	P max	S max	P max	S max
			Long Product		Flat Product	
1085	0.80-0.93	0.70-1.00	0.040	0.050	0.030	0.035
1086	0.80-0.93	0.30-0.50	0.040	0.050	0.030	0.035
1090	0.85-0.98	0.60-0.90	0.040	0.050	0.030	0.035
1095	0.90-1.03	0.30-0.50	0.040	0.050	0.030	0.035

<sup>A</sup> Where silicon is required, the following ranges and limits are commonly specified: 0.10 % maximum, 0.10 % to 0.20 %, 0.15 % to 0.35 %, 0.15 % to 0.40 %, 0.20 % to 0.40 %, or 0.30 % to 0.60 %.

<sup>B</sup> If required, copper can be specified as 0.20 % minimum.

<sup>C</sup> Where boron treatment for killed steel is specified for enhanced hardenability, titanium is generally added to shield the boron from oxidation. Boron levels between 0.0005 % and 0.0030 % can be expected for this practice. If the usual titanium addition is not permitted, the steel may contain up to 0.0050 % boron for enhanced hardenability.

<sup>D</sup> Long product.

<sup>E</sup> Flat product.

<sup>F</sup> SAE J1013 has chemical limits for manganese of 0.30-0.60 %.

<sup>G</sup> 1070m has chemical limits for silicon, 0.15-0.35 %; chromium, 0.20 % maximum; nickel, 0.25 % maximum; and molybdenum, 0.10 % maximum.

TABLE 3 Chemical Composition for Resulfurized Steels

Grade	Composition, <sup>A,B</sup> %			
	C	Mn	P max	S max
1108	0.08-0.13	0.60-0.80	0.040	0.08-0.13
1109	0.08-0.13	0.60-0.90	0.040	0.08-0.13
1110	0.08-0.13	0.30-0.60	0.040	0.08-0.13
1115	0.13-0.20	0.60-0.90	0.040	0.08-0.13
1116	0.14-0.20	1.10-1.40	0.040	0.16-0.23
1117	0.14-0.20	1.00-1.30	0.040	0.08-0.13
1118	0.14-0.20	1.30-1.60	0.040	0.08-0.13
1119	0.14-0.20	1.00-1.30	0.040	0.24-0.33
1132	0.27-0.32	1.35-1.65	0.040	0.08-0.13
1137	0.32-0.39	1.35-1.65	0.040	0.08-0.13
1139	0.35-0.43	1.35-1.65	0.040	0.13-0.20
1140	0.37-0.44	0.70-1.00	0.040	0.08-0.13
1141	0.37-0.45	1.35-1.65	0.040	0.08-0.13
1144	0.40-0.48	1.35-1.65	0.040	0.24-0.33
1145	0.42-0.49	0.70-1.00	0.040	0.04-0.07
1146	0.42-0.49	0.70-1.00	0.040	0.08-0.13
1151	0.48-0.55	0.70-1.00	0.040	0.08-0.13

<sup>A</sup> It is not common practice to produce these steels to specified limits for silicon because of its adverse effect on machinability.

<sup>B</sup> Where silicon is required, the following ranges and limits are commonly specified: 0.10 % maximum, 0.10 % to 0.20 %, 0.15 % to 0.35 %, 0.20 % to 0.40 %, or 0.30 % to 0.60 %.

TABLE 4 Chemical Composition for Rephosphorized and Resulfurized Carbon Steels

Grade	Composition, <sup>A,B</sup> %			
	C	Mn	P	S
1211	0.13 max	0.60-0.90	0.07-0.12	0.10-0.15
1212	0.13 max	0.70-1.00	0.07-0.12	0.16-0.23
1213	0.13 max	0.70-1.00	0.07-0.12	0.24-0.33
1215	0.09 max	0.75-1.05	0.04-0.09	0.26-0.35

<sup>A</sup> It is not common practice to produce these steels to specified limits for silicon because of its adverse effect on machinability.

<sup>B</sup> Where silicon is required, the following ranges and limits are commonly specified: 0.10 % maximum, 0.10 % to 0.20 %, 0.15 % to 0.35 %, 0.20 % to 0.40 %, or 0.30 % to 0.60 %.

**TABLE 5 Chemical Composition for High-Manganese Carbon Steels**

Grade	C	Mn	Composition, <sup>A,B,C</sup> %		
			P max	S max	P max
			Long Product		Flat Product
1513	0.10-0.16	1.10-1.40	0.040	0.050	
1518	0.15-0.21	1.10-1.40	0.040	0.050	
1522	0.18-0.24	1.10-1.40	0.040	0.050	
1524	0.19-0.25	1.35-1.65	0.040	0.050	0.030
1525	0.23-0.29	0.80-1.10	0.040	0.050	
1526	0.22-0.29	1.10-1.40	0.040	0.050	
1527	0.22-0.29	1.20-1.50	0.040	0.050	0.030
1536	0.30-0.37	1.20-1.50	0.040	0.050	0.030
1541	0.36-0.44	1.35-1.65	0.040	0.050	0.030
1547	0.43-0.51	1.35-1.65	0.040	0.050	
1548	0.44-0.52	1.10-1.40	0.040	0.050	0.030
1551	0.45-0.56	0.85-1.15	0.040	0.050	
1552	0.47-0.55	1.20-1.50	0.040	0.050	0.030
1561	0.55-0.65	0.75-1.05	0.040	0.050	
1566	0.60-0.71	0.85-1.15	0.040	0.050	
1572	0.65-0.76	1.00-1.30	0.040	0.050	

<sup>A</sup> Where silicon is required, the following ranges and limits are commonly specified: 0.10 % maximum, 0.10 % to 0.20 %, 0.15 % to 0.35 %, 0.20 % to 0.40 %, or 0.30 % to 0.60 %.

<sup>B</sup> If required, copper can be specified as 0.20 % minimum.

<sup>C</sup> If lead is required as an added element to a standard steel, a range of 0.15 % to 0.35 % inclusive is specified. Such a steel is identified by inserting the letter "L" between the second and third numerals of the grade designation, for example, 15L25. A heat analysis is not determinable where lead is added to the ladle stream.

**TABLE 6 Chemical Composition for Carbon Steels with Hardenability Requirements**

Grade	C	Mn	Composition, %		
			P max	S max	Si
1038H	0.34-0.43	0.50-1.00	0.040	0.050	0.15-0.30
1045H	0.42-0.51	0.50-1.00	0.040	0.050	0.15-0.30
1522H	0.17-0.25	1.00-1.50	0.040	0.050	0.15-0.30
1524H	0.18-0.26	1.25-1.75	0.040	0.050	0.15-0.30
1526H	0.21-0.30	1.00-1.50	0.040	0.050	0.15-0.30
1541H	0.35-0.45	1.25-1.75	0.040	0.050	0.15-0.30
1552H	0.47-0.55	1.00-1.50	0.040	0.050	0.15-0.30

**TABLE 7 Chemical Composition for Standard High-Manganese Boron Carbon Steels with Hardenability Requirements**

Grade	C	Mn	Composition, <sup>A</sup> %		
			P	S	Si
15B21H	0.17-0.24	0.70-1.20	0.040	0.050	0.15-0.30
15B35H	0.31-0.39	0.70-1.20	0.040	0.050	0.15-0.30
15B37H	0.30-0.39	1.00-1.50	0.040	0.050	0.15-0.30
15B41H	0.35-0.45	1.25-1.75	0.040	0.050	0.15-0.30
15B48H	0.43-0.53	1.00-1.50	0.040	0.050	0.15-0.30
15B62H	0.54-0.67	1.00-1.50	0.040	0.050	0.15-0.30

<sup>A</sup> Where boron treatment for killed steel is specified for enhanced hardenability, titanium is generally added to shield the boron from oxidation. Boron levels between 0.0005 % and 0.0030 % can be expected for this practice. If the usual titanium addition is not permitted, the steel may contain up to 0.0050 % boron for enhanced hardenability.

**TABLE 8 Chemical Composition for Standard High-Manganese Boron Carbon Steels with Restricted Hardenability Requirements**

Grade	C	Mn	Composition, <sup>A</sup> %		
			P	S	Si
15B21 RH	0.17-0.22	0.80-1.10	0.035	0.040	0.15-0.35
15B35 RH	0.33-0.38	0.80-1.10	0.035	0.040	0.15-0.35

<sup>A</sup> Where boron treatment for killed steel is specified for enhanced hardenability, titanium is generally added to shield the boron from oxidation. Boron levels between 0.0005 % and 0.0030 % can be expected for this practice. If the usual titanium addition is not permitted, the steel may contain up to 0.0050 % boron for enhanced hardenability.

**TABLE 9 Chemical Composition for Microalloyed Carbon Steels**

Grade	Composition, <sup>A,B</sup> %				
	C	Mn	P max	S	V
10V40	0.37-0.44	0.60-0.90	0.040	0.050 max	0.02-0.20
10V45	0.43-0.50	0.60-0.90	0.040	0.050 max	0.02-0.20
11V37	0.32-0.39	1.35-1.65	0.040	0.08-0.13	0.02-0.20
11V41	0.37-0.45	1.35-1.65	0.040	0.08-0.13	0.02-0.20
15V24	0.19-0.25	1.35-1.65	0.040	0.050 max	0.02-0.20
15V41	0.36-0.44	1.35-1.65	0.040	0.050 max	0.02-0.20

<sup>A</sup> Where silicon is required, the following ranges and limits are commonly specified: 0.10 % maximum, 0.10 % to 0.20 %, 0.15 % to 0.35 %, 0.20 % to 0.40 %, or 0.30 % to 0.60 %.

<sup>B</sup> Microalloyed carbon steels are standardized grades containing vanadium as the microalloying element.

**TABLE 10 Chemical Composition for Leaded Carbon Steels**

Grade	Composition, <sup>A,B</sup> %				
	C	Mn	P	S	Pb
11L18	0.14-0.20	1.30-1.60	0.040 max	0.08-0.13	0.15-0.35
12L13	0.13 max	0.70-1.00	0.07-0.12	0.24-0.33	0.15-0.35
12L14	0.15 max	0.85-1.15	0.04-0.09	0.26-0.35	0.15-0.35
12L15	0.09 max	0.75-1.05	0.04-0.09	0.26-0.35	0.15-0.35

<sup>A</sup> If lead is required as an added element to a standard steel, a range of 0.15 % to 0.35 % inclusive is specified. Such a steel is identified by inserting the letter "L" between the second and third numerals of the grade designation, for example, 12L15. A heat analysis is not determinable if lead is added to the ladle stream.

<sup>B</sup> The elements bismuth, calcium, selenium, and tellurium may be added as agreed upon between purchaser and supplier.

**TABLE 11 Chemical Composition for Merchant Quality M Series Carbon Steels**

Grade	Composition, %			
	C	Mn <sup>A</sup>	P max	S max
M1008	0.10 max	0.25-0.60	0.040	0.050
M1010	0.07-0.14	0.25-0.60	0.040	0.050
M1012	0.09-0.16	0.25-0.60	0.040	0.050
M1015	0.12-0.19	0.25-0.60	0.040	0.050
M1017	0.14-0.21	0.25-0.60	0.040	0.050
M1020	0.17-0.24	0.25-0.60	0.040	0.050
M1023	0.19-0.27	0.25-0.60	0.040	0.050
M1025	0.20-0.30	0.25-0.60	0.040	0.050
M1031	0.26-0.36	0.25-0.60	0.040	0.050
M1044	0.40-0.50	0.25-0.60	0.040	0.050

<sup>A</sup> Unless prohibited by the purchaser, the manganese content may exceed 0.60 % on heat analysis to a maximum of 0.75 %, provided that the carbon range on heat analysis has the minimum and maximum reduced by 0.01 percentage point for each 0.05 percentage point manganese over 0.60 %.

TABLE 12 Chemical Composition for Standard Alloy Steels

Grade	Composition, <sup>A,B</sup> %										
	C	Mn	P max	S max	P max	S max	Si <sup>C</sup>	Ni	Cr	Mo	Other Elements
			Long Product	Flat Product	Long Product	Flat Product					
1330	0.28-0.33	1.60-1.80	0.035	0.040	0.035	0.035	0.15-0.35				
1335	0.33-0.38	1.60-1.90	0.035	0.040	0.035	0.035	0.15-0.35				
1340	0.38-0.43	1.60-1.90	0.035	0.040	0.035	0.035	0.15-0.35				
1345	0.43-0.48	1.60-1.90	0.035	0.040	0.035	0.035	0.15-0.35				
3140	0.38-0.43	0.70-0.90	0.040	0.040			0.15-0.35	1.10-1.40	0.55-0.75		
3310	0.08-0.13	0.45-0.60	0.015	0.015			0.15-0.35	3.25-3.75	1.40-1.75		
E3310	0.08-0.13	0.45-0.60	0.025	0.025	0.025	0.025	0.15-0.30	3.25-3.75	1.40-1.75		
4012	0.09-0.14	0.75-1.00	0.035	0.040	0.040	0.040	0.15-0.30			0.15-0.25	
4023	0.20-0.25	0.70-0.90	0.035	0.040			0.15-0.35			0.20-0.30	
4024	0.20-0.25	0.70-0.90	0.035	0.040			0.15-0.35			0.20-0.30	
4027	0.25-0.30	0.70-0.90	0.035	0.040			0.15-0.35			0.20-0.30	
4028	0.25-0.30	0.70-0.90	0.035	0.040			0.15-0.35			0.20-0.30	
4032	0.30-0.35	0.70-0.90	0.035	0.040			0.15-0.35			0.20-0.30	
4037	0.35-0.40	0.70-0.90	0.035	0.040			0.15-0.35			0.20-0.30	
4042	0.40-0.45	0.70-0.90	0.035	0.040			0.15-0.35			0.20-0.30	
4047	0.45-0.50	0.70-0.90	0.035	0.040			0.15-0.35			0.20-0.30	
4063	0.60-0.67	0.75-1.00	0.040	0.040			0.15-0.35			0.20-0.30	
4118	0.18-0.23	0.70-0.90	0.035	0.040	0.035	0.035	0.15-0.35		0.40-0.60	0.08-0.15	
4120	0.18-0.23	0.90-1.20	0.035	0.040			0.15-0.35		0.40-0.60	0.13-0.20	
4121	0.18-0.23	0.75-1.00	0.035	0.040			0.15-0.35		0.45-0.65	0.20-0.30	
4130	0.28-0.33	0.40-0.60	0.035	0.040	0.035	0.035	0.15-0.35		0.80-1.10	0.15-0.25	
4135	0.32-0.39	0.65-0.95	0.035	0.040			0.15-0.35		0.80-1.10	0.15-0.25	
4137	0.35-0.40	0.70-0.90	0.035	0.040			0.15-0.35		0.80-1.10	0.15-0.25	
4140	0.38-0.43	0.75-1.00	0.035	0.040	0.035	0.035	0.15-0.35		0.80-1.10	0.15-0.25	
4142	0.40-0.45	0.75-1.00	0.035	0.040			0.15-0.35		0.80-1.10	0.15-0.25	
4145	0.43-0.48	0.75-1.00	0.035	0.040			0.15-0.35		0.80-1.10	0.15-0.25	
4147	0.45-0.50	0.75-1.00	0.035	0.040			0.15-0.35		0.80-1.10	0.15-0.25	
4150	0.48-0.53	0.75-1.00	0.035	0.040			0.15-0.35		0.80-1.10	0.15-0.25	
4161	0.56-0.64	0.75-1.00	0.035	0.040			0.15-0.35		0.70-0.90	0.25-0.35	
4320	0.17-0.22	0.45-0.65	0.035	0.040	0.025	0.025	0.15-0.35	1.65-2.00	0.40-0.60	0.20-0.30	
4337	0.35-0.40	0.60-0.80	0.040	0.040			0.15-0.35	0.70-0.90	1.65-2.00	0.20-0.30	
E4337	0.35-0.40	0.65-0.85	0.025	0.025			0.15-0.35	1.65-2.00	0.70-0.90	0.20-0.30	
4340	0.38-0.43	0.60-0.80	0.035	0.040	0.035	0.035	0.15-0.35	1.65-2.00	0.70-0.90	0.20-0.30	
E4340	0.38-0.43	0.65-0.85	0.025	0.025	0.025	0.025	0.15-0.35	1.65-2.00	0.70-0.90	0.20-0.30	
4419	0.18-0.23	0.45-0.65	0.035	0.040			0.15-0.35			0.45-0.60	
4422	0.20-0.25	0.70-0.90	0.035	0.040			0.15-0.35			0.35-0.45	
4427	0.24-0.29	0.70-0.90	0.035	0.040			0.15-0.35			0.35-0.45	
4520	0.18-0.23	0.45-0.65	0.035	0.040			0.15-0.35			0.45-0.60	
4615	0.13-0.18	0.45-0.65	0.035	0.040			0.15-0.35	1.65/2.00		0.20-0.30	
4617	0.15-0.20	0.45-0.65	0.035	0.040	0.035	0.035	0.15-0.35	1.65/2.00		0.20-0.30	
4620	0.17-0.22	0.45-0.65	0.035	0.040			0.15-0.35	1.65/2.00		0.20-0.30	
4621	0.18-0.23	0.70-0.90	0.035	0.040			0.15-0.35	1.65/2.00		0.20-0.30	
4626	0.24-0.29	0.45-0.65	0.035	0.040			0.15-0.35	0.70-1.00		0.15-0.25	
4715	0.13-0.18	0.70-0.90	0.035	0.040			0.15-0.35	0.45-0.65	0.70-1.00	0.45-0.60	
4718	0.16-0.21	0.70-0.90	0.035	0.040			0.15-0.35	0.90-1.20	0.35-0.55	0.30-0.40	
4720	0.17-0.22	0.50-0.70	0.035	0.040			0.15-0.35	0.90-1.20	0.35-0.55	0.15-0.25	
4815	0.13-0.18	0.40-0.60	0.035	0.040			0.15-0.35	3.25-3.75		0.20-0.30	
4817	0.13-0.20	0.40-0.60	0.035	0.040			0.15-0.35	3.25-3.75		0.20-0.30	
4820	0.18-0.23	0.50-0.70	0.035	0.040			0.15-0.35	3.25-3.75		0.20-0.30	
5015	0.12-0.17	0.30-0.50	0.035	0.040			0.15-0.35		0.30-0.50		
5046	0.43-0.50	0.75-1.00	0.035	0.040			0.15-0.35		0.20-0.35		
5115	0.13-0.18	0.70-0.90	0.035	0.040			0.15-0.35		0.70-0.90		
5117	0.15-0.20	0.70-0.90	0.035	0.040			0.15-0.35		0.70-0.90		
5120	0.17-0.22	0.70-0.90	0.035	0.040			0.15-0.35		0.70-0.90		
5130	0.28-0.33	0.70-0.90	0.035	0.040			0.15-0.35		0.80-1.10		
5132	0.30-0.35	0.60-0.80	0.035	0.040			0.15-0.35		0.75-1.00		
5135	0.33-0.38	0.60-0.80	0.035	0.040			0.15-0.35		0.80-1.05		
5140	0.38-0.43	0.70-0.90	0.035	0.040	0.035	0.035	0.15-0.35		0.70-0.90		
5145	0.43-0.48	0.70-0.90	0.035	0.040			0.15-0.35		0.70-0.90		

TABLE 12 *Continued*

Grade	Composition, <sup>A,B</sup> %									
	C	Mn	P max	S max	P max	S max	Si <sup>C</sup>	Ni	Cr	Mo
			Long Product	Flat Product	0.035	0.040				
5147	0.46-0.51	0.70-0.95	0.035	0.040			0.15-0.35		0.85-1.15	
5150	0.48-0.53	0.70-0.90	0.035	0.040	0.035	0.035	0.15-0.35		0.70-0.90	
5155	0.51-0.59	0.70-0.90	0.035	0.040			0.15-0.35		0.70-0.90	
5160	0.56-0.64	0.75-1.00	0.035	0.040	0.035	0.035	0.15-0.35		0.70-0.90	
5195 <sup>D</sup>	0.90-1.03	0.75-1.00	0.025	0.025			0.15-0.35	0.25 max	0.70-0.90	0.10 max
50100	0.98-1.10	0.25-0.45	0.025	0.025			0.15-0.35	0.25 max	0.40-0.60	0.10 max
51100	0.98-1.10	0.25-0.45	0.025	0.025			0.15-0.35	0.25 max	0.90-1.15	0.10 max
E50100 <sup>D</sup>	0.98-1.10	0.25-0.45	0.025	0.025			0.15-0.35		0.40-0.60	
E50100 <sup>E</sup>	0.95-1.10	0.25-0.45	0.025	0.025	0.025	0.025	0.15-0.35		0.40-0.60	
E51100 <sup>D</sup>	0.98-1.10	0.25-0.45	0.025	0.025			0.15-0.35		0.90-1.15	
E51100 <sup>E</sup>	0.95-1.10	0.25-0.45	0.025	0.025	0.025	0.025	0.15-0.30		0.90-1.15	
E52100 <sup>D</sup>	0.98-1.10	0.25-0.45	0.025	0.025	0.025	0.025	0.15-0.35		1.30-1.60	
E52100 <sup>E</sup>	0.95-1.10	0.25-0.45	0.025	0.025	0.025	0.025	0.15-0.30		1.30-1.60	
52100 <sup>F</sup>	0.93-1.05	0.25-0.45	0.025	0.015			0.15-0.35	0.25 max	1.35-1.60	0.10 max
										Copper 0.30 max Aluminum (total) 0.050 max Oxygen 0.0015 max <sup>G</sup>
52100m1	0.90-1.20	0.95-1.25	0.015	0.015			0.45-0.75		0.90-1.20	
52100m2	0.85-1.00	1.40-1.70	0.015	0.015			0.50-0.80		1.40-1.80	
52100m3	0.95-1.10	0.65-0.90	0.015	0.015			0.15-0.35		1.10-1.50	0.20-0.30
52100m4	0.95-1.10	1.05-1.35	0.015	0.015			0.15-0.35		1.10-1.50	0.45-0.60
6118	0.16-0.21	0.50-0.70	0.035	0.040			0.15-0.35		0.50-0.70	Vanadium 0.10- 0.15
6120	0.17-0.22	0.70-0.90	0.040	0.040			0.15-0.35		0.70-0.90	Vanadium 0.10 min
6150	0.48-0.53	0.70-0.90	0.035	0.040			0.15-0.35		0.80-1.10	Vanadium 0.15 min
E7140	0.38-0.43	0.50-0.70	0.035	0.035			0.15-0.35		1.40-1.80	0.30-0.40
8115	0.13-0.18	0.70-0.90	0.035	0.040			0.15-0.35	0.20-0.40	0.30-0.50	0.08-0.15
8615	0.13-0.18	0.70-0.90	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8617	0.15-0.20	0.70-0.90	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8620	0.18-0.23	0.70-0.90	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8622	0.20-0.25	0.70-0.90	0.035	0.040			0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8625	0.23-0.28	0.70-0.90	0.035	0.040			0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8627	0.25-0.30	0.70-0.90	0.035	0.040			0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8630	0.28-0.33	0.70-0.90	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8637	0.35-0.40	0.75-1.00	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8640	0.38-0.43	0.75-1.00	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8642	0.40-0.45	0.75-1.00	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8643	0.40-0.45	0.75-1.00	0.035	0.040	0.035	0.035	0.15-0.30	0.40-0.60	0.40-0.70	0.15-0.25
8645	0.43-0.48	0.75-1.00	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8650	0.48-0.53	0.75-1.00	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8655	0.51-0.59	0.75-1.00	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8660	0.55-0.65	0.75-1.00	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8720	0.18-0.23	0.70-0.90	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.20-0.30
8735	0.33-0.38	0.75-1.00			0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.20-0.30
8740	0.38-0.43	0.75-1.00	0.035	0.040	0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.20-0.30
8742	0.40-0.45	0.75-1.00			0.035	0.035	0.15-0.35	0.40-0.70	0.40-0.60	0.20-0.30
8822	0.20-0.25	0.75-1.00	0.035	0.040			0.15-0.35	0.40-0.70	0.40-0.60	0.30-0.40
9254	0.51-0.59	0.60-0.80	0.035	0.040			1.20-1.60		0.60-0.80	
9255	0.51-0.59	0.60-0.80	0.035	0.040			1.80-2.20		0.60-0.80	
9259	0.56-0.64	0.75-1.00	0.035	0.040			0.70-1.10		0.45-0.65	
9260	0.56-0.64	0.75-1.00	0.035	0.040	0.035	0.035	1.80-2.20			
9262	0.55-0.65	0.75-1.00			0.035	0.035	1.80-2.20		0.25-0.40	
9310	0.08-0.13	0.45-0.65	0.015	0.015			0.15-0.35	3.00-3.50	1.00-1.40	0.08-0.15
E9310	0.08-0.13	0.45-0.65	0.025	0.025	0.025	0.025	0.15-0.35	3.00-3.50	1.00-1.40	0.08-0.15

.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....

**TABLE 12** *Continued*

Grade	Composition, <sup>A,B</sup> %										
	C	Mn	P max	S max	P max	S max	Si <sup>C</sup>	Ni	Cr	Mo	Other Elements
			Long Product	Flat Product							
9360	0.56-0.64	0.75-1.00	0.035	0.040						1.80-2.20	
9840	0.38-0.42	0.70-0.90	0.040	0.040			0.15-0.35	0.85-1.15	0.70-0.90	0.20-0.30	
9850	0.48-0.53	0.70-0.90	0.040	0.040			0.15-0.35	0.85-1.15	0.70-0.90	0.20-0.30	

<sup>A</sup> Small quantities of certain elements are present in alloy steels although not specified or required. Such elements are considered as incidental and may be present to the following maximum amounts: copper 0.35 %; nickel 0.25 %; chromium 0.20 %; and molybdenum 0.06 %.

<sup>B</sup> Standard alloy steels may be produced with a lead range of 0.15 to 0.35 %. Such steels are identified by inserting the letter "L" between the second and third numerals of the grade number, for example, 41L40. A heat analysis for lead is not determined if lead is added to the ladle stream.

<sup>C</sup> Silicon may be specified by the purchaser as 0.10 % maximum. The need for 0.10 % maximum generally relates to severely cold-formed parts.

<sup>D</sup> Long product.

<sup>E</sup> Flat product.

<sup>F</sup> Intentional additions of calcium or calcium alloys for deoxidation or inclusion shape control are not permitted unless specifically approved by the purchaser.

<sup>G</sup> Oxygen content applies to product analysis.

TABLE 13 Chemical Composition for Alloy Steels with Hardenability Requirements

Grade	Composition, <sup>A</sup> %							
	C	Mn	P max	S max	Si	Ni	Cr	Mo
1330 H	0.27-0.33	1.45-2.05	0.035	0.040	0.15-0.35			
1335 H	0.32-0.38	1.45-2.05	0.035	0.040	0.15-0.35			
1340 H	0.37-0.44	1.45-2.05	0.035	0.040	0.15-0.35			
1345 H	0.42-0.49	1.45-2.05	0.035	0.040	0.15-0.35	0.15-0.35		
4027 H	0.24-0.30	0.60-1.00	0.035	0.040	0.15-0.35		0.20-0.30	
4028 H	0.24-0.30	0.60-1.00	0.035	0.040	0.15-0.35		0.20-0.30	
4032 H	0.29-0.35	0.60-1.00	0.035	0.040	0.15-0.35		0.20-0.30	
4037 H	0.34-0.41	0.60-1.00	0.035	0.040	0.15-0.35		0.20-0.30	
4042 H	0.39-0.46	0.60-1.00	0.035	0.040	0.15-0.35		0.20-0.30	
4047 H	0.44-0.51	0.60-1.00	0.035	0.040	0.15-0.35		0.20-0.30	
4118 H	0.17-0.23	0.60-1.00	0.035	0.040	0.15-0.35	0.30-0.70	0.08-0.15	
4130 H	0.27-0.33	0.30-0.70	0.035	0.040	0.15-0.35	0.75-1.20	0.15-0.25	
4135 H	0.32-0.38	0.60-1.00	0.035	0.040	0.15-0.35	0.75-1.20	0.15-0.25	
4137 H	0.34-0.41	0.60-1.00	0.035	0.040	0.15-0.35	0.75-1.20	0.15-0.25	
4140 H	0.37-0.44	0.65-1.00	0.035	0.040	0.15-0.35	0.75-1.20	0.15-0.25	
4142 H	0.39-0.46	0.65-1.00	0.035	0.040	0.15-0.35	0.75-1.20	0.15-0.25	
4145 H	0.42-0.49	0.65-1.00	0.035	0.040	0.15-0.35	0.75-1.20	0.15-0.25	
4147 H	0.44-0.51	0.65-1.10	0.035	0.040	0.15-0.35	0.75-1.20	0.15-0.25	
4150 H	0.47-0.54	0.65-1.10	0.035	0.040	0.15-0.35	0.75-1.20	0.15-0.25	
4161 H	0.55-0.65	0.65-1.10	0.035	0.040	0.15-0.35	0.65-0.95	0.25-0.35	
4320 H	0.17-0.23	0.40-0.70	0.035	0.040	0.15-0.35	1.55-2.00	0.35-0.65	0.20-0.30
4340 H	0.37-0.44	0.55-0.90	0.035	0.040	0.15-0.35	1.55-2.00	0.65-0.95	0.20-0.30
E4340 H	0.37-0.44	0.60-0.95	0.025	0.025	0.15-0.35	1.55-2.00	0.65-0.95	0.20-0.30
4419 H	0.17-0.23	0.35-0.75	0.035	0.040	0.15-0.35			0.45-0.60
4620 H	0.17-0.23	0.35-0.75	0.035	0.040	0.15-0.35	1.55-2.00		0.20-0.30
4621 H	0.17-0.23	0.60-1.00	0.035	0.040	0.15-0.35	1.55-2.00		0.20-0.30
4626 H	0.23-0.29	0.40-0.70	0.035	0.040	0.15-0.35	0.65-1.05		0.15-0.25
4718 H	0.15-0.21	0.60-0.95	0.035	0.040	0.15-0.35	0.85-1.25	0.30-0.60	0.30-0.40
4720 H	0.17-0.23	0.45-0.75	0.035	0.040	0.15-0.35	0.85-1.25	0.30-0.60	0.15-0.25
4815 H	0.12-0.18	0.30-0.70	0.035	0.040	0.15-0.35	3.20-3.80		0.20-0.30
4817 H	0.14-0.20	0.30-0.70	0.035	0.040	0.15-0.35	3.20-3.80		0.20-0.30
4820 H	0.17-0.23	0.40-0.80	0.035	0.040	0.15-0.35	3.20-3.80		0.20-0.30
5046 H	0.43-0.50	0.65-1.10	0.035	0.040	0.15-0.35	0.13-0.43		
5120 H	0.17-0.23	0.60-1.00	0.035	0.040	0.15-0.35		0.60-1.00	
5130 H	0.27-0.33	0.60-1.10	0.035	0.040	0.15-0.35		0.75-1.20	
5132 H	0.29-0.35	0.50-0.90	0.035	0.040	0.15-0.35		0.65-1.10	
5135 H	0.32-0.38	0.50-0.90	0.035	0.040	0.15-0.35		0.70-1.15	
5140 H	0.37-0.44	0.60-1.00	0.035	0.040	0.15-0.35		0.60-1.00	
5145 H	0.42-0.49	0.60-1.00	0.035	0.040	0.15-0.35		0.60-1.00	
5147 H	0.45-0.52	0.60-1.05	0.035	0.040	0.15-0.35		0.80-1.25	
5150 H	0.47-0.54	0.60-1.00	0.035	0.040	0.15-0.35		0.60-1.00	
5155 H	0.50-0.60	0.60-1.00	0.035	0.040	0.15-0.35		0.60-1.00	
5160 H	0.55-0.65	0.65-1.10	0.035	0.040	0.15-0.35		0.60-1.00	
6118 H	0.15-0.21	0.40-0.80	0.035	0.040	0.15-0.35		0.40-0.80	
6150 H	0.47-0.54	0.60-1.00	0.035	0.040	0.15-0.35		0.75-1.20	
8617 H	0.14-0.20	0.60-0.95	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8620 H	0.17-0.23	0.60-0.95	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8622 H	0.19-0.25	0.60-0.95	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8625 H	0.22-0.28	0.60-0.95	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8627 H	0.24-0.30	0.60-0.95	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8630 H	0.27-0.33	0.60-0.95	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8637 H	0.34-0.41	0.70-1.05	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8640 H	0.37-0.44	0.70-1.05	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8642 H	0.39-0.46	0.70-1.05	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8645 H	0.42-0.49	0.70-1.05	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8650 H	0.47-0.54	0.70-1.05	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8655 H	0.50-0.60	0.70-1.05	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8660 H	0.55-0.65	0.70-1.05	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.15-0.25
8720 H	0.17-0.23	0.60-0.95	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.20-0.30
8740 H	0.37-0.44	0.70-1.05	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.20-0.30

**TABLE 13** *Continued*

Grade	Composition, <sup>A</sup> %							
	C	Mn	P max	S max	Si	Ni	Cr	Mo
8822 H	0.19-0.25	0.70-1.05	0.035	0.040	0.15-0.35	0.35-0.75	0.35-0.65	0.30-0.40
9260 H	0.55-0.65	0.65-1.10	0.035	0.040	1.70-2.20			
9310 H	0.07-0.13	0.40-0.70	0.035	0.040	0.15-0.35	2.95-3.55	1.00-1.45	0.08-0.15

<sup>A</sup> Small quantities of certain elements are present in alloy steels although not specified or required. Such elements are considered as incidental and may be present to the following maximum amounts: copper 0.35 %; nickel 0.25 %; chromium 0.20 %; and molybdenum 0.06 %.

**TABLE 14 Chemical Composition for Alloy Steels with Restricted Hardenability Requirements**

Grade	Composition, <sup>A</sup> %							
	C	Mn	P max	S max	Si	Ni	Cr	Mo
3310 RH	0.08-0.13	0.40-0.60	0.035	0.040	0.15-0.35	3.25-3.75	1.40-1.75	...
4027 RH	0.25-0.30	0.70-0.90	0.035	0.040	0.15-0.35		...	0.20-0.30
4118 RH	0.18-0.23	0.70-0.90	0.035	0.040	0.15-0.35		0.40-0.60	0.08-0.15
4120 RH	0.18-0.23	0.90-1.20	0.035	0.040	0.15-0.35		0.40-0.60	0.13-0.20
4130 RH	0.28-0.33	0.40-0.60	0.035	0.040	0.15-0.35		0.80-1.10	0.15-0.25
4140 RH	0.38-0.43	0.75-1.00	0.035	0.040	0.15-0.35		0.80-1.10	0.15-0.25
4145 RH	0.43-0.48	0.75-1.00	0.035	0.040	0.15-0.35		0.80-1.10	0.15-0.25
4161 RH	0.56-0.64	0.75-1.00	0.035	0.040	0.15-0.35		0.70-0.90	0.25-0.35
4320 RH	0.17-0.22	0.45-0.65	0.035	0.040	0.15-0.35	1.65-2.00	0.40-0.60	0.20-0.30
4620 RH	0.17-0.22	0.45-0.65	0.035	0.040	0.15-0.35	1.65-2.00		0.20-0.30
4820 RH	0.18-0.23	0.50-0.70	0.035	0.040	0.15-0.35	3.25-3.75		0.20-0.30
5130 RH	0.28-0.33	0.70-0.90	0.035	0.040	0.15-0.35		0.80-1.10	
5140 RH	0.38-0.43	0.70-0.90	0.035	0.040	0.15-0.35		0.70-0.90	
5160 RH	0.56-0.64	0.75-1.00	0.035	0.040	0.15-0.35		0.70-0.90	
8620 RH	0.18-0.23	0.70-0.90	0.035	0.040	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8622 RH	0.20-0.25	0.70-0.90	0.035	0.040	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
8720 RH	0.18-0.23	0.70-0.90	0.035	0.040	0.15-0.35	0.40-0.70	0.40-0.60	0.20-0.30
8822 RH	0.20-0.25	0.75-1.00	0.035	0.040	0.15-0.35	0.40-0.70	0.40-0.60	0.30-0.40
9310 RH	0.08-0.13	0.45-0.65	0.035	0.040	0.15-0.35	3.00-3.50	1.00-1.40	0.08-0.15

<sup>A</sup> Small quantities of certain elements are present in alloy steels although not specified or required. Such elements are considered as incidental and may be present to the following maximum amounts: copper 0.35 %; nickel 0.25 %; chromium 0.20 %; and molybdenum 0.06 %.

**TABLE 15 Chemical Composition for Standard Alloy Boron Steels**

Grade	Composition, <sup>A,B</sup> %							
	C	Mn	P max	S max	Si	Ni	Cr	Mo
50B40	0.38-0.42	0.75-1.00	0.040	0.040	0.15-0.35		0.40-0.60	
50B46	0.44-0.49	0.75-1.00	0.030	0.040	0.15-0.35	0.20-0.35	0.20-0.35	
86B45	0.43-0.48	0.75-1.00	0.040	0.040	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25
94B15	0.13-0.18	0.75-1.00	0.040	0.040	0.15-0.35	0.30-0.60	0.30-0.50	0.08-0.15
94B30	0.28-0.33	0.75-1.00	0.035	0.040	0.15-0.35	0.30-0.60	0.30-0.50	0.08-0.15
94B40	0.38-0.43	0.75-1.00	0.040	0.040	0.15-0.35	0.30-0.60	0.30-0.50	0.08-0.15

<sup>A</sup> Small quantities of certain elements are present in alloy steels although not specified or required. Such elements are considered as incidental and may be present to the following maximum amounts: copper 0.35 %; nickel 0.25 %; chromium 0.20 %; and molybdenum 0.06 %.

<sup>B</sup> Where boron treatment for killed steel is specified, titanium is generally added to shield the boron from oxidation. Boron levels between 0.0005 % and 0.0030 % should be expected for this practice. If the usual titanium addition is not permitted, the steel may contain up to 0.0050 % boron.

**TABLE 16 Chemical Composition for Alloy Boron Steels with Hardenability Requirements**

Grade	Composition, <sup>A,B</sup> %							
	C	Mn	P max	S max	Si	Ni	Cr	Mo
50B40 H	0.37-0.44	0.65-1.10	0.035	0.040	0.15-0.35		0.30-0.70	
50B44 H	0.42-0.49	0.65-1.10	0.035	0.040	0.15-0.35		0.30-0.70	
50B46 H	0.43-0.50	0.65-1.10	0.035	0.040	0.15-0.35	0.20-0.35	0.20-0.35	
50B50 H	0.47-0.54	0.65-1.10	0.035	0.040	0.15-0.35		0.30-0.70	
50B60 H	0.55-0.65	0.65-1.10	0.035	0.040	0.15-0.35		0.30-0.70	
51B60 H	0.55-0.65	0.65-1.10	0.035	0.040	0.15-0.35		0.60-1.00	
81B45 H	0.42-0.49	0.70-1.05	0.035	0.040	0.15-0.35	0.30-0.60	0.15-0.45	0.08-0.15
86B45 H	0.42-0.49	0.70-1.05	0.035	0.040	0.15-0.35	0.35-0.65	0.35-0.75	0.15-0.25
94B15 H	0.12-0.18	0.70-1.05	0.035	0.040	0.15-0.35	0.25-0.55	0.25-0.65	0.08-0.15
94B17 H	0.14-0.20	0.70-1.05	0.035	0.040	0.15-0.35	0.25-0.55	0.25-0.65	0.08-0.15
94B30 H	0.27-0.33	0.70-1.05	0.035	0.040	0.15-0.35	0.25-0.55	0.25-0.65	0.08-0.15

<sup>A</sup> Small quantities of certain elements are present in alloy steels although not specified or required. Such elements are considered as incidental and may be present to the following maximum amounts: copper 0.35 %; nickel 0.25 %; chromium 0.20 %; and molybdenum 0.06 %.

<sup>B</sup> Where boron treatment for killed steel is specified, titanium is generally added to shield the boron from oxidation. Boron levels between 0.0005 % and 0.0030 % should be expected for this practice. If the usual titanium addition is not permitted, the steel may contain up to 0.0050 % boron.

**TABLE 17 Chemical Composition for Alloy Boron Steels with Restricted Hardenability Requirements**

Grade	Composition, <sup>A,B</sup> %					
	C	Mn	P max	S max	Si	Cr
50B40 RH	0.38-0.43	0.75-1.00	0.035	0.040	0.15-0.35	0.40-0.60

<sup>A</sup> Small quantities of certain elements are present in alloy steels although not specified or required. Such elements are considered as incidental and may be present to the following maximum amounts: copper 0.35 %; nickel 0.25 %; chromium 0.20 %; and molybdenum 0.06 %.

<sup>B</sup> Where boron treatment for killed steel is specified, titanium is generally added to shield the boron from oxidation. Boron levels between 0.0005 % and 0.0030 % should be expected for this practice. If the usual titanium addition is not permitted, the steel may contain up to 0.0050 % boron.

## APPENDIX

### (Nonmandatory Information)

#### X1. AISI DESIGNATIONS REPLACED BY SAE AND ASTM STANDARDS

X1.1 In the 1930s, the American Iron and Steel Institute (AISI) published their first Steel Products Manuals. These manuals provided makers and users of steel with generally recognized definitions, descriptions, and practices pertaining to the manufacture, chemistry, metallurgy, and adaptability of steel products. One of the main features of the AISI Steel Product Manuals was a numbering system that identified steels according to standard chemical compositions for carbon, alloy, and stainless steels.

X1.2 The restructuring of the American steel industry in the 1990s resulted in far-reaching changes in the AISI. Like its member companies, the AISI downsized its staff and since the AISI did not write material specifications, it discontinued the practice of maintaining its steel designation system. In 1995, the AISI made the decision to transfer the responsibility of maintaining its numbering system to the Society of Automotive Engineers (SAE) for carbon and alloy steels ([SAE J403](#) and

[SAE J404](#)) and to ASTM International for stainless steels (Guide [A959](#) and others). In 1996, ASTM and SAE signed a memorandum of understanding to work closely together to eliminate duplication of standards.

X1.3 Although SAE and ASTM have taken over the responsibility of designating steel grades, they made the transition as seamless as possible by using the former AISI numbering system where possible. For example, [SAE J403](#) Grade 1040 and Specification [A276](#) Type 304 still include the former AISI Grade 1040 and Type 304 designations. However, they are no longer AISI steel designations, but rather they are a part of SAE and ASTM material standards where the former AISI designations have been replaced. Users of the former AISI designated steels are encouraged to reference the appropriate SAE and ASTM material standards and to use their designation systems.

## SUMMARY OF CHANGES

Committee A01 has identified the location of selected changes to this standard since the last issue (A1040 – 09) that may impact the use of this standard. (Approved April 1, 2010.)

- (1) Added **1.7**.  
(2) Added **Appendix X1**.  
(3) **Table 12**: Manganese changed in 1330 and Molybdenum changed in 4120.  
(4) Grade 50B46 added to **Table 15**.  
(5) **Table 16**, Grade 50B46: added nickel and changed chromium.

Committee A01 has identified the location of selected changes to this standard since the last issue (A1040 – 07) that may impact the use of this standard. (Approved April 1, 2009.)

- (1) Revised **Table 13**, Grade 9310H.

*ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.*

*This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.*

*This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website ([www.astm.org](http://www.astm.org)). Permission rights to photocopy the standard may also be secured from the ASTM website ([www.astm.org/COPYRIGHT/](http://www.astm.org/COPYRIGHT/)).*